

AUTHOR INDEX TO VOLUME 18

Issue Page

- | | | | |
|---|-----|-------------------|--|
| 3 | 331 | Ahmad, S. | Use of discrete basis sets in configuration interaction calculation. |
| 1 | 163 | Amakawa, H. | Exact finite range DWBA form factor for heavy-ion induced nuclear reactions. |
| 1 | 27 | Batana, A. | Analysis of Faradaic impedance experimental measurements. |
| 2 | 245 | Beatham, N. | MCBP: a program to calculate angular coefficients of the Breit interaction between electrons in the low energy limit. |
| 1 | 133 | Campbell, J.B. | Bessel functions $J_{\nu}(x)$ and $Y_{\nu}(x)$ of real order and real argument. |
| 3 | 305 | Caprini, I. | A guide to analytic extrapolations. Part II: a program to be used in finding analytic correlations of data, and for detecting zeros and poles of the scattering amplitude. |
| 1 | 35 | Chang, B.D. | A program to generate closed basic diagrams for product operators. |
| 1 | 87 | Cherepkov, N.A. | Frozen core Hartree-Fock program for atomic discrete and continuous states. |
| 1 | 87 | Chernysheva, L.V. | Frozen core Hartree-Fock program for atomic discrete and continuous states. |
| 2 | 215 | Ciulli, M. | A guide to analytic extrapolations. Part I: a program for optimal extrapolation to interior points. |
| 3 | 305 | Ciulli, M. | A guide to analytic extrapolations. Part II: a program to be used in finding analytic correlations of data, and for detecting zeros and poles of the scattering amplitude. |
| 2 | 215 | Ciulli, S. | A guide to analytic extrapolations. Part I: a program for optimal extrapolation to interior points. |
| 3 | 305 | Ciulli, S. | A guide to analytic extrapolations. Part II: a program to be used in finding analytic correlations of data, and for detecting zeros and poles of the scattering amplitude. |
| 1 | 63 | Delic, G. | Chebyshev expansion of the associated Legendre polynomial $PLM(x)$. |
| 1 | 73 | Delic, G. | Chebyshev series for the spherical Bessel function $j_l(r)$. |
| 2 | 205 | Demmig, F. | The computation of unsteady non-equilibrium shock tube flows comprising a tailor-made discretization of boundary layer terms. |
| 3 | 401 | Der, R. | A program to calculate internal conversion coefficients including higher-order corrections for all atomic shells. |
| 1 | 143 | Deutsch, M. | Slit height smearing correction in small angle X-ray scattering III: intensity correction program adaptation to arbitrary slit transmission function. |
| 1 | 149 | Deutsch, M. | Slit height smearing correction in small angle X-ray scattering IV: computation of the correction function for an arbitrary slit transmission function. |

Issue Page

- | | | | |
|---|-----|------------------|---|
| 2 | 297 | Fijalkow, E. | Radiation potential of a point antenna immersed in drifting cold or hot (hydrodynamical) plasma. |
| 2 | 201 | Gastmans, R. | Symbolic evaluation of dimensionally regularized Feynman diagrams. |
| 1 | 27 | Gonzalez, E.R. | Analysis of Faradaic impedance experimental measurements. |
| 2 | 245 | Grant, I.P. | MCBP: a program to calculate angular coefficients of the Breit interaction between electrons in the low energy limit. |
| 3 | 401 | Hinneburg, D. | A program to calculate internal conversion coefficients including higher-order corrections for all atomic shells. |
| 3 | 441 | Huzinaga, S. | Erratum notice. A compact program of the SCF-Xalpha scattered wave method. |
| 1 | 7 | Kaplanis, S.N. | Monte Carlo solutions of the solid angle integrals for radiation detectors. |
| 3 | 441 | Katsuki, S. | Erratum notice. A compact program of the SCF-Xalpha scattered wave method. |
| 2 | 211 | Killingbeck, J. | Some applications of perturbation theory to numerical integration methods for the Schrodinger equation. |
| 3 | 339 | Kitowski, J. | Computer simulation of heuristic reinforcement-learning systems for nuclear power plant load changes control. |
| 3 | 327 | Kritsky, V.G. | The problem of comparison of two spectra. |
| 3 | 385 | Kruger, P.B. | Calculation of the nucleation and growth of defect clusters. |
| 1 | 109 | Lewis, M.N. | Z-expansion of matrix elements of one-electron operators for many-electron atoms. |
| 2 | 287 | Luke, T.M. | ECSIMPACT: a special version of program IMPACT for CDC machines with ex-core memory. |
| 3 | 385 | Mayer, R.M. | Calculation of the nucleation and growth of defect clusters. |
| 2 | 245 | McKenzie, B.J. | MCBP: a program to calculate angular coefficients of the Breit interaction between electrons in the low energy limit. |
| 1 | 27 | Monard, M.C. | Analysis of Faradaic impedance experimental measurements. |
| 1 | 155 | Moriarty, K.J.M. | Program adaptation: to calculate inclusive backward proton production cross sections. |
| 3 | 339 | Moscinski, J. | Computer simulation of heuristic reinforcement-learning systems for nuclear power plant load changes control. |
| 2 | 297 | Mourgues, G. | Radiation potential of a point antenna immersed in drifting cold or hot (hydrodynamical) plasma. |
| 3 | 401 | Nagel, M. | A program to calculate internal conversion coefficients including higher-order corrections for all atomic shells. |
| 3 | 331 | Newman, D.J. | Use of discrete basis sets in configuration interaction calculation. |
| 1 | 101 | Nielsen, O.H. | Lattice dynamics of group IV semiconductors using an adiabatic bond charge model. |
| 3 | 441 | Palting, P. | Erratum notice. A compact program of the SCF-Xalpha scattered wave method. |

Issue Page

- 1 13 Petravic, G.K. A program generator for the incomplete LU decomposition-conjugate gradient (ILUCG) method.
- 1 13 Petravic, M. A program generator for the incomplete LU decomposition-conjugate gradient (ILUCG) method.
- 3 305 Pomponiu, C. A guide to analytic extrapolations. Part II: a program to be used in finding analytic correlations of data, and for detecting zeros and poles of the scattering amplitude.
- 2 261 Preuss, E. Plot program for Laue patterns and stereographic projections.
- 2 277 Preuss, E. Calculation of crystal orientations using Laue patterns.
- 2 245 Pyper, N.C. MCBP: a program to calculate angular coefficients of the Breit interaction between electrons in the low energy limit.
- 1 87 Radojevic, V. Frozen core Hartree-Fock program for atomic discrete and continuous states.
- 2 205 Ritter, R.R. The computation of unsteady non-equilibrium shock tube flows comprising a tailor-made discretization of boundary layer terms.
- 3 353 Roberts, S.A. Numerical modelling of a chemical plasma. I. REACS: a program to generate all reactions which take place in a plasma of given chemical content.
- 3 363 Roberts, S.A. Numerical modelling of a chemical plasma. II. PLASKEM: a program to predict the variation with time of the number densities of chemical species within a plasma.
- 3 377 Roberts, S.A. Numerical modelling of a chemical plasma. III. DATSTOR: a program to create a database containing information on rate coefficients of chemical reactions.
- 2 287 Saraph, H.E. ECSIMPACT: a special version of program IMPACT for CDC machines with ex-core memory.
- 3 305 Sararu, M. A guide to analytic extrapolations. Part II: a program to be used in finding analytic correlations of data, and for detecting zeros and poles of the scattering amplitude.
- 1 7 Stavroulaki, B.Th. Monte Carlo solutions of the solid angle integrals for radiation detectors.
- 3 305 Stefanescu, I.S. A guide to analytic extrapolations. Part II: a program to be used in finding analytic correlations of data, and for detecting zeros and poles of the scattering amplitude.
- 1 1 Strubbe, H. Development of the SCHOONSCHIP program.
- 3 427 Takemasa, T. Complex angular momentum methods for elastic scattering with an optical potential.
- 1 163 Tamura, T. Exact finite range DWBA form factor for heavy-ion induced nuclear reactions.
- 3 427 Tamura, T. Complex angular momentum methods for elastic scattering with an optical potential.
- 1 155 Thompson, H.N. Program adaptation: to calculate inclusive backward proton production cross sections.
- 1 123 Thomson, R.M. Transport properties of dilute gas mixtures.
- 2 171 Tscharnuter, W.M. A method for computing selfgravitating gas flows with radiation.

Issue Page

- | | | | |
|---|-----|--------------------|--|
| 1 | 163 | Udagawa, T. | Exact finite range DWBA form factor for heavy-ion induced nuclear reactions. |
| 3 | 327 | Ufimtcev, M.V. | The problem of comparison of two spectra. |
| 2 | 201 | Van Proeyen, A. | Symbolic evaluation of dimensionally regularized Feynman diagrams. |
| 2 | 201 | Verbaeten, P. | Symbolic evaluation of dimensionally regularized Feynman diagrams. |
| 3 | 411 | Von Meerwall, E.D. | An all-purpose curve-fitting program for functions of several variables. |
| 3 | 417 | Von Meerwall, E.D. | A Fortran program to perform signal averaging, multichannel scaling and pulse-height analysis. |
| 1 | 101 | Weber, W. | Lattice dynamics of group IV semiconductors using an adiabatic bond charge model. |
| 2 | 171 | Winkler, K.-H. | A method for computing selfgravitating gas flows with radiation. |
| 3 | 427 | Wolter, H.H. | Complex angular momentum methods for elastic scattering with an optical potential. |
| 1 | 35 | Wong, S.S.M. | A program to generate closed basic diagrams for product operators. |
| 1 | 163 | Wood, K.E. | Exact finite range DWBA form factor for heavy-ion induced nuclear reactions. |
| 3 | 327 | Zaikin, P.N. | The problem of comparison of two spectra. |
| 2 | 281 | Zlokazov, V.B. | DOMUS: a program for the analysis of two-dimensional spectra. |

PROGRAM INDEX TO VOLUME 18

Atomic Physics

Issue Page Cat.no.

- | | | | |
|---|-----|------|---|
| 1 | 87 | AAKZ | ATOMIC FROZEN CORE HARTREE-FOCK (Algol). Frozen core Hartree-Fock program for atomic discrete and continuous states. L.V. Chernysheva, N.A. Cherepkov and V. Radojevic. Subroutine required by this program (for data) is AAKQ 11(1976)57. |
| 1 | 109 | AACH | SSTR-TRANSITION GENERALIZED SUMS (Fortran). Z-expansion of matrix elements of one-electron operators for many-electron atoms. M.N. Lewis. |
| 2 | 245 | AAAL | MCBP-BREIT ANGULAR COEFFICIENTS (Fortran). MCBP: a program to calculate angular coefficients of the Breit interaction between electrons in the low energy limit. N. Beatham, I.P. Grant, B.J. McKenzie and N.C. Pyper. Subroutines required by this program are AAHD 8(1974)151, ACRI 4(1972)377, ACWE 11(1976)397. |
| 2 | 287 | ACYF | 0001ADAPT IMPPRO FOR ECSIMPACT (Fortran). Preprocessor for ECSIMPACT: a special version of program IMPACT for CDC machines with ex-core memory. H.E. Saraph. |
| 2 | 287 | ACZK | ECSIMPACT (Fortran). ECSIMPACT: a special version of program IMPACT for CDC machines with ex-core memory. T.M. Luke and H.E. Saraph. Subroutines required by this program are ACYF 15(1978)23, ACYF0001 18(1979)287. See other version of this program ACYE 15(1978)23. |
| 3 | 401 | AAMB | INTERNAL CONVERSION COEFFICIENTS (Fortran). A program to calculate internal conversion coefficients including higher-order corrections for all atomic shells. R. Der, D. Hinneburg and M. Nagel. |

Chemistry

- | | | | |
|---|----|------|--|
| 1 | 27 | ACZA | BATAN (Fortran). Analysis of Faradaic impedance experimental measurements. A. Batana, E.R. Gonzalez and M.C. Monard. |
|---|----|------|--|

Crystallography

- | | | | |
|---|-----|------|--|
| 1 | 143 | AASB | 0001 CORECTSP (Fortran). Slit height smearing correction in small angle X-ray scattering III: intensity correction program adaptation to arbitrary slit transmission function. M. Deutsch. Subroutine required by this program (for data) is AASD 18(1979)149. |
| 1 | 149 | AASD | GTSPLINE (Fortran). Slit height smearing correction in small angle X-ray scattering IV: computation of the correction function for an arbitrary slit transmission function. M. Deutsch. |
| 2 | 261 | AAQE | PLOMAC (Fortran). Plot program for Laue patterns and stereographic projections. E. Preuss. |
| 2 | 277 | AAQF | COL (Fortran). Calculation of crystal orientations using Laue patterns. E. Preuss. Subroutine required by this program (for data) is AAQE 18(1979)261. |

Fluid Dynamics

- 1 123 ACZO GAS MIXTURE TRANSPORT PROPERTIES (Fortran). Transport properties of dilute gas mixtures. R.M. Thomson.

General Purpose

- 1 13 ABSE GENLU (Fortran). A program generator for the incomplete LU decomposition-conjugate gradient (ILUCG) method. G.K. Petravic and M. Petravic.
- 1 35 ACZI CONTRACTION-BASIC-DIAGRAM (Fortran). A program to generate closed basic diagrams for product operators. B.D. Chang and S.S.M. Wong.
- 1 63 ACZN PLMCHB (Fortran). Chebyshev expansion of the associated Legendre polynomial PLM(x). G. Delic.
- 1 73 ACZM JLRCHB (Fortran). Chebyshev series for the spherical Bessel function $j_l(r)$. G. Delic.
- 1 133 ACZP BESSJY (Fortran). Bessel functions $J_{nu}(x)$ and $Y_{nu}(x)$ of real order and real argument. J.B. Campbell.
- 3 411 ABNH UNIFIT4 (Fortran). An all-purpose curve-fitting program for functions of several variables. E.D. von Meerwall. See other version of this program ABMR 11(1976)211.

Laser Physics

- 3 353 ACZD REACS (Fortran). Numerical modelling of a chemical plasma. I. REACS: a program to generate all reactions which take place in a plasma of given chemical content. S.A. Roberts. Subroutine required by this program (for data) is ACZF 18(1979)377.
- 3 363 ACZE PLASKEM (Fortran). Numerical modelling of a chemical plasma. II. PLASKEM: a program to predict the variation with time of the number densities of chemical species within a plasma. S.A. Roberts. Subroutines required by this program (for data) are ACWX 11(1976)369, ACZD 18(1979)353, ACZF 18(1979)377.
- 3 377 ACZF DATSTOR (Fortran). Numerical modelling of a chemical plasma. III. DATSTOR: a program to create a database containing information on rate coefficients of chemical reactions. S.A. Roberts.

Molecular Physics

- 1 123 ACZO GAS MIXTURE TRANSPORT PROPERTIES (Fortran). Transport properties of dilute gas mixtures. R.M. Thomson.
- 2 281 ABAB DOMUS (Fortran). DOMUS: a program for the analysis of two-dimensional spectra. V.B. Zlokazov.
- 3 441 ACXN 000ACORRECTION 07/09/79 (Fortran). A compact program of the SCF-Xalpha scattered wave method. S. Katsuki, P. Palting and S. Huzinaga.

Nuclear Physics

- 1 155 AAUR 0001 BACKWARD INCLUSIVE PROTONS (Fortran). Program adaptation: to calculate inclusive backward proton production cross sections. K.J.M. Moriarty and H.N. Thompson. Subroutines required by this program are AAUN 9(1975)85, AAUN0001 15(1978)437.
- 1 163 ABPA 0001 SATURN-2-FOR-EFR-DWBA (Fortran). Exact finite range DWBA form factor for heavy-ion induced nuclear reactions. T. Tamura, T. Udagawa, K.E. Wood and H. Amakawa.

Nuclear Physics (cont.)*Issue Page Cat.no.*

- 2 215 AAUT ANALYT (Fortran). A guide to analytic extrapolations. A program for optimal extrapolation to interior points and to be used in finding analytic correlations of data and for detecting zeros and poles of the scattering amplitude. I. Caprini, M. Ciulli, S. Ciulli, C. Pomponiu, M. Sararu and I.S. Stefanescu.
- 2 281 ABAB DOMUS (Fortran). DOMUS: a program for the analysis of two-dimensional spectra. V.B. Zlokazov.
- 3 401 AAMB INTERNAL CONVERSION COEFFICIENTS (Fortran). A program to calculate internal conversion coefficients including higher-order corrections for all atomic shells. R. Der, D. Hinneburg and M. Nagel.
- 3 417 ABNG SAMCS1 (Fortran). A Fortran program to perform signal averaging, multichannel scaling and pulse-height analysis. E.D. von Meerwall.
- 3 427 ABNF REGGE (Fortran). Complex angular momentum methods for elastic scattering with an optical potential. T. Takemasa, T. Tamura and H.H. Wolter.

Plasma Physics

- 2 297 ABUZ DRFT (Fortran). Radiation potential of a point antenna immersed in drifting cold or hot (hydrodynamical) plasma. E. Fijalkow and G. Mourgues.
- 3 353 ACZD REACS (Fortran). Numerical modelling of a chemical plasma. I. REACS: a program to generate all reactions which take place in a plasma of given chemical content. S.A. Roberts. Subroutine required by this program (for data) is ACZF 18(1979)377.
- 3 363 ACZE PLASKEM (Fortran). Numerical modelling of a chemical plasma. II. PLASKEM: a program to predict the variation with time of the number densities of chemical species within a plasma. S.A. Roberts. Subroutines required by this program (for data) are ACWX 11(1976)369, ACZD 18(1979)353, ACZF 18(1979)377.
- 3 377 ACZF DATSTOR (Fortran). Numerical modelling of a chemical plasma. III. DATSTOR: a program to create a database containing information on rate coefficients of chemical reactions. S.A. Roberts.

Quantum Chemistry

- 3 441 ACXN 000ACORRECTION 07/09/79 (Fortran). A compact program of the SCF-Xalpha scattered wave method. S. Katsuki, P. Palting and S. Huzinaga.

Radiation Physics

- 3 385 ACUE CLUSTER 78 (Fortran). Calculation of the nucleation and growth of defect clusters. P.B. Kruger and R.M. Mayer.

Solid State Physics

- 1 101 ACUD ADIABATIC BOND CHARGE MODEL (Fortran). Lattice dynamics of group IV semiconductors using an adiabatic bond charge model. O.H. Nielsen and W. Weber.